Shelfology Certified Rad

Made In The U.S.A. By Woodworkers, For Woodworkers\_





# Studly Utility Hook Install Guide







Installation Difficulty Rating (1-10)




Table of Contents	Page
Installation Steps	004
Warnings	006
Rad Tips	007

 $_{\perp}$ 




## Optional Tools



 $\bot$   $\vdash$ 

# Meet Studly Utility Hook: the strongest, sleekest, most hardcore utility bracket in the game. Made in-house by us in the United States of Awesome. Rad!




\_ \_ \_


 $_{\perp}$ 




#### Installation Steps



Yo! Here we go! Your Studly Hook is designed to be installed directly onto wall studs. See Rad Tip ① on page 7 for more information. Position your hook on a stud or post, then install a wall fastener into an upper fastener hole location.




Straighten your hook using a level. Mark a lower fastener hole location with a fastener tip or a pencil. Install a second wall fastener into this location, then recheck for level.




Install the remaining fasteners into remaining fastener holes. Your first Studly hook is installed! Crack open and take a swig of your favorite non-alcholic brew.

If you want to align multiple hooks to each other, continue on to the rest of the steps. If not, skip to step 6.

P.004



To mount additional hooks aligned with the first, use a level to align both hooks and repeat steps 1–3 with the second hook. See Rad Tip ②.



Gently place your replica Wonder Boy™ bat on the hooks and admire. You are done!

If you need more help, please reach out to a shelf geek today.

hello@shelfology.com 949.244.1083

P.005



Whoa, you made it! We are vicariously stoking for you right now. Post your sweet shelfie on Instagram now!

#### @shelfology #radshelfie

Need a hand? Speak with a Shelf Geek at 949.244.1083 or hello@shelfology.com today. How did we do? You'll get an email soon asking for a product review, and we'd be stoked if you oblige. You rock in advance!

## Warnings



- ① Correct Install Required For Safe Use
- Adhere To The Capacity Rating Of Your Specific Bracket
- © California Proposition 65 Warning
- Not For Use In Wet Environments

- 1.1 Hooks must be correctly installed into studs. Failure to do so may result in sagging hooks, falling objects, or serious injury.
- 2.1 Every Shelfology shelf has been engineered for use with specific capacities. Failure to follow our specified capacity ratings may result in sagging shelves, falling objects, or serious injury. Please reference the Studly Utility Hook Spec Sheet for more information.
- 3.1 This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. Don't eat this bracket. If you live outside of California, do whatever you want. For more boring information, visit www. p65warnings.ca.gov.
- 4.1 Powder coated carbon steel does not equal waterproof. If water has direct and constant contact with the hook, like in a shower or outdoors, it will rust. Hooks installed in these conditions are not covered by our warrantv.

### **Rad Tips**

①
Fasten Into
All Studs &
Blocking The
Shelf Crosses

② Using a Longer Level



1.1 Studly hooks are designed to be mounted on a fixed stud, post, or other structural surface. Drywall is not structural, and will not support this hook.



2.1 You can turn a short level into a long one by laying it on a straight object like a yard stick. Just hold it on the wall with your bullet level on top and measure!





Need a hand? Speak with a Shelf Geek at 949.244.1083 or hello@shelfology.com today.

How did we do? You'll get an email soon asking for a product review, and we'd be stoked if you oblige. You rock in advance!

Call 949.244.1083

Email hello@shelfology.com www.shelfology.com 156 N 2nd E Rexburg, ID 83440 Shop Visit @shelfology Social