Shelfology
Certified Rad_

Designed & Crafted
By Radically Talented
Humans Right Here In
The U.S. Of Awesome_

Patent
Pending
Design.

Lightning
Fast Lead
Times.

Splendid Shelf + Coat Hook
Install Guide



Installation Difficulty Rating (1-10) **7**

Table of Contents	Page
Installation Steps	004
Warnings	006
Rad Tips	007

Required Tools

- Drill
- Level
- Measuring Tape
- Pencil

Optional Tools


- Stud Finder
- ¼" Diameter Drill Bit

GET MORE RADNESS NOW AT SHELFOLOGY.COM_
NEED A HAND? 949.244.1083 // HELLO@SHELFOLOGY.COM_

START ↓↓

Splendid is clean, modern and your new go-to for coats, bags, hats, towels, and the usual grab-and-go chaos. Designed & Crafted By Radically Talented Humans Right Here In The U.S. Of Awesome.

What's In The Box

- **Splendid Shelf + Coat Hook** 1x 
- **Splendid Cover Plate** 1x 
- **Truss Head Fastener Set** 1x 
- **Pan Head Fastener Set** 1x 
- **Wall Anchor Set** 1x 

What You'll Need


- **Innate Radness** Done! 
- **Your Favorite Soda** 2x 

DESIGNED & CRAFTED BY RADICALLY TALENTED HUMANS RIGHT HERE IN THE U.S. OF AWESOME.

LIGHTNING FAST LEAD TIMES_


Installation Steps

001




Yo! Here we go! Position your shelf on the wall with the pre-drilled holes along the top edge. Use a drill to fasten either the far left or right hole to the wall in the desired location. Using the slots will allow you to make minor adjustments to the position of your shelf. For masonry installs, see **Rad Tip ②** on page 7.

002



Level your shelf, then set another fastener in the next stud or opposite side with your drill. If you have installed blocking behind the full length of your shelf, **skip to step 6**. If you have not installed blocking, proceed to step 3. For more information on blocking, see **Rad Tip ①** on page 7.


003



Double check the hook position on your wall and adjust if necessary. Mark all fastener holes and slots with a pencil. Once every fastener location has been marked, uninstall both fasteners and remove your shelf from the wall. Take a swig of your favorite soda or non-alcoholic brew.


GET MORE RADNESS NOW AT SHELFOLOGY.COM_
NEED A HAND? 949.244.1083 // HELLO@SHELFOLOGY.COM_

004




Use a stud finder to mark the location of every stud the shelf crosses. Then for areas between studs, mark a drywall anchor install location roughly every four to six inches along the length of the shelf.

005




Predrill each drywall anchor location with a ¼" drill bit to avoid breaking drywall anchors. Install a drywall anchor in each of these pre-drilled locations. If you are using your own anchors, we recommend Toggler brand for best results. Stud locations should not be pre-drilled. Drywall anchors should be installed flush with the drywall surface.

006



Replace the shelf and install a fastener into every location crossing a stud or blocking. For every location that a drywall anchor was installed, ensure a fully threaded #8 pan head fastener is used. For more information on fasteners, see **Rad Tip** ① on page 7.

007



Make a final inspection of your shelf. Check for hook sag, confirm product is correctly secured to wall. If you ordered a cover plate, carefully align to the back-bar and let the magnets snap onto the back-bar. You may need to then slide the cover into correct position. Take care not to pinch your fingers, those magnets are strong!

Stand back and relax, you did it! Give your cat a celebratory fist bump, if present. Reach out to a Shelf Geek if you need any further assistance at 949.244.1083 or hello@shelfology.com.

DESIGNED & CRAFTED BY RADICALLY TALENTED HUMANS RIGHT HERE IN THE U.S. OF AWESOME.
LIGHTNING FAST LEAD TIMES_

Whoa, you made it! We are vicariously stoking for you right now. Post your sweet shelfie on Instagram now!

@shelfology
#radshelfie

Need a hand? Speak with a Shelf Geek at 949.244.1083 or hello@shelfology.com today.

How did we do? You'll get an email soon asking for a product review, and we'd be stoked if you oblige. You rock in advance!

Warnings

① Correct Install Required For Safe Use

1.1 Products must be correctly installed into studs or wall blocking. Failure to do so may result in sagging products, falling objects, or serious injury.

② Adhere To The Capacity Rating Of Your Specific Product

2.1 Every Shelfology product has been engineered for use with specific capacities. Failure to follow our specified capacity ratings may result in sagging product, falling objects, or serious injury. Please reference the Splendid Spec Sheet for more information.

③ California Proposition 65 Warning

3.1 This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. Don't eat this product. If you live outside of California, do whatever you want. For more boring information, visit www.p65warnings.ca.gov.


④ Not For Use In Wet Environments

4.1 Powder coated carbon steel does not equal waterproof. If water has direct and constant contact with the product, like in a shower or outdoors, it will rust. Product installed in these conditions are not covered by our warranty.


GET MORE RADNESS NOW AT SHELFOLOGY.COM_
NEED A HAND? 949.244.1083 // HELLO@SHELFOLOGY.COM_

Rad Tips


① Fasten Into All Studs & Blocking The Shelf Crosses



1.1 Studs are the vertical 2x4 boards that make up the bones of your walls. They provide solid structure for your shelf to attach to.




1.2 Blocking is typically added later between studs in the wall for additional support to mount shelf to, and is usually made from 2x4 or 2x6 lumber.




1.3 For a contractor grade install with best substrate strength, install blocking along the length of your shelf.


② Masonry Installation



2.1 Hold product in position and mark hole placements. Drill each marked location with a ¼" diameter masonry drill bit. Drill at least 2½" deep to allow for the 2½" wall fastener.



2.2 Using a hammer, tap masonry anchor into hole, flush with wall surface.



2.3 Hold product in position, and install masonry fasteners into anchors.

DESIGNED & CRAFTED BY RADICALLY TALENTED HUMANS RIGHT HERE IN THE U.S. OF AWESOME.

LIGHTNING FAST LEAD TIMES_

Shelfology® | Way To Display™

Need a hand? **Speak with a Shelf Geek at 949.244.1083 or hello@shelfology.com today.**

How did we do? **You'll get an email soon asking for a product review, and we'd be stoked if you oblige. You rock in advance!**

Call 949.244.1083
Email hello@shelfology.com
Shop www.shelfology.com
Visit 156 N 2nd E Rexburg, ID 83440
Social @shelfology



© Shelfology 2026